







**Product Family**  
**Survivair Cougar SCBA**  
**(NIOSH)**

The Survivair Cougar meets the demands of industrial users who want the finest respiratory protection against environments that are Immediately Dangerous to Life or Health (IDLH).



**Product Numbers & Ordering Information**

Product Numbers	Details
 NIOSH-cougar-custom	<b>Survivair Cougar SCBA (Not Pre-Configured)</b> See the SCBA Configurator for details on how to configure a Cougar SCBA.
 888888	<b>Compliance Industrial SCBA — Low Pressure, 30-Minute Survivair® Cougar SCBA (stocked item)</b> 2216 psig, bell alarm, aluminum cylinder, medium black facepiece, medium nose cup, silicone headstrap
 481121	<b>Compliance Industrial SCBA with SAR — Low Pressure, 30-Minute Aluminum Survivair® Cougar SCBA (stocked item)</b> Survivair Cougar 2216 psig, TwentyTwenty Plus medium facepiece, bell alarm, 2216 psig 30-minute aluminum cylinder without locking collar, SAR attachment with Hansen couplings, carrying case.
 555555	<b>Compliance Industrial SCBA — High Pressure, 60-Minute Survivair Cougar SCBA (stocked item)</b> 4500 psig, TwentyTwenty Plus medium facepiece, bell alarm, 4500 psig 60-minute carbon cylinder without locking collar.
 483121	<b>Standard Industrial SCBA with SAR — Low Pressure, 30-Minute Survivair Cougar SCBA.</b> Survivair Cougar 2216 psig, TwentyTwenty Plus medium facepiece, bell alarm, 2216 psig 30-minute carbon cylinder without locking collar, SAR attachment with Hansen couplings, carrying case.
 486121	<b>Standard Industrial SCBA with SAR — High Pressure, 30-Minute Survivair Cougar SCBA</b> Survivair Cougar 4500 psig, TwentyTwenty Plus medium facepiece, bell alarm, 4500 psig 30-minute carbon cylinder without locking collar, SAR attachment with Hansen couplings, carrying case.

**Additional Information**

See the SCBA Ordering Guide for details on how to configure a Survivair Cougar Industrial SCBA

## Overview

### Key Features

The Survivair Cougar meets the demands of industrial users who want the finest respiratory protection against environments that are Immediately Dangerous to Life or Health (IDLH). The Survivair Cougar is designed to be a compliance industrial unit, yet provides superior safety and comfort for industrial needs.

Feature	Benefit
TwentyTwenty Plus 5-pt. silicone headstrap or Kevlar mesh headnet option	Fits comfort and needs of user. Kevlar headnet option fits well under hard hats.
Second Stage Air Klic fastening system	First-breath on; allows attachment in any orientation; regulator holder on waist strap.
Mighty-Light® backpack	Lightweight, easy to use, comfortable. No tools required for easy maintenance.
Choice of 3 low air alarms	Bell, Plain Whistle, Warbling Whistle.
Supplied Air Attachment option	Allows air to be supplied from a remote source. Long duration escape cylinder.
Communications options	Clear and audible communication for noisy environments. Includes voice amp and hard wired radio systems.
Configurable with added options	Buddy Breather, Heads-Up-Display

### Recommended Industries/Use

- Agriculture
- Chemical
- Construction
- Government
- Manufacturing
- Military
- Municipal Services
- Oil and Gas
- Pharmaceutical
- Steel and Metals
- Utilities

### Hazards

- Airborne Particulates
- Biohazard
- Chemical
- Confined Space
- Contamination
- Extreme Environment
- Explosion
- Gas, Vapors, Smoke

### Regulations

- NIOSH 42 CFR Part 84

### Historical Brand

Survivair

### Warranty Information

SCBA: 12 years First stage pressure reducer: Lifetime Cylinder: 15 years Electronics (except for Communication Accessories): 3 years

## Specifications

### Type

- Open-circuit pressure demand self-contained breathing apparatus

### Facepiece Material

- Silicone

### Facepiece Styles

- Classic or TwentyTwenty Plus

### Facepiece Sizes

- Small, medium or large

#### **Nose Cup Sizes**

- Small, medium or large

#### **Head Harness**

- Silicone or Kevlar mesh headnet

#### **Alarms**

- Bell, plain whistle or warbling whistle

#### **Cylinder Pressures**

- 2216, 3000 or 4500 psig

#### **Cylinder Durations**

- 30, 45 or 60 minutes

#### **Second Stage Regulator**

- Pilot valve

## **Certifications**

#### **Survivair Panther & Cougar NIOSH Certifications**

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Secured/Respiratory\\_Protection/Self\\_Contained\\_Breathing\\_Apparatus\\_\(SCBA\)/26163/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Secured/Respiratory_Protection/Self_Contained_Breathing_Apparatus_(SCBA)/26163/1033.aspx)

Survivair Panther & Cougar NIOSH Certifications

## **Literature & Documents**

#### **Industrial SCBA Brochure**

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Respiratory\\_Protection/Self\\_Contained\\_Breathing\\_Apparatus\\_\(SCBA\)/44359/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Respiratory_Protection/Self_Contained_Breathing_Apparatus_(SCBA)/44359/1033.aspx)

#### **Cougar SCBA Data Sheet**

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Respiratory\\_Protection/Self\\_Contained\\_Breathing\\_Apparatus\\_\(SCBA\)/44601/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Respiratory_Protection/Self_Contained_Breathing_Apparatus_(SCBA)/44601/1033.aspx)

#### **Cougar-Puma Manual**

[http://www.honeywellsafety.com/Supplementary/Documents\\_and\\_Downloads/Respiratory\\_Protection/Self\\_Contained\\_Breathing\\_Apparatus\\_\(SCBA\)/4294971112/1033.aspx](http://www.honeywellsafety.com/Supplementary/Documents_and_Downloads/Respiratory_Protection/Self_Contained_Breathing_Apparatus_(SCBA)/4294971112/1033.aspx)

## **Training & Proper Use**

See the Cougar Operation Manual for instructions on training and proper use.

Watch YouTube video for Cougar/Puma Use & Maintenance. <https://www.youtube.com/watch?v=9A0BMKib8rg>

## **Additional Information**

1.800.821.7236

## **Technical Support**

1.800.394.0410